PDS No. 781280	PRODUCT DATA SHEET			Page 1 of 1	
D · · ·	384 Well Microplate, PP, V-Bottom			6	
Revision 05	Greiner Item-No. 781280			greiner bio-one	
Valid for Item-No.:	781280				

1.	Description / Specification		
1.1 Description		PP Microplate, 384 well, solid V-bottom (conical shape), rounded square	
		well design, alphanumeric well coding	
1.2	Dimensions	See Customer Drawing	
1.3	Volume per well	Total volume: 130 µl (mathematical calculated)	
		Working volume: 13 – 120 µl	
1.4	Material / Resin	PP (Polypropylene), free of heavy metal	
1.5	Colour	Translucent	
1.6	Sterilization	No	
1.7 Quality Control - Raw Material-Co		- Raw Material-Control: physical testing	
	-	- Product-Control: testing of attributive and variable characteristics in	
		accordance with the valid specification	
1.8	Other Information	For single use only	

2.	Features		
2.1	Basic features	Free of detectable DNase/RNase, human DNA and pyrogens.	
2.2	Temperature range	-196°C to +121°C	
2.3	Autoclavability	No	
2.4	Centrifugation, max. RCF	4800 x g: swinging-bucket rotor	
2.5	Chemical Resistance	See homepage: https://www.gbo.com/en_INT/know-how-services/download-center.html	
2.6	Shelf life	N/A	
2.7	Other Information	-	

3.	Packaging	
3.1	Pieces / Bag	10
3.2	Pieces / Box	100
3.3	Lot-No.	E YY MM XXX (manufacturing facility, year, month, consecutive SAP-No.)
3.4	Other Information	Certificate of Quality

4.	Other Information
	-

Data Sheet subject to change without notice!					
Prior Issue	Drawn	Approved	Released	CONFIDENTIAL: Information contained in this	
Revision 04	Date 1 August 2019	Date 1 August 2019	Date 1 August 2019	document or drawing is confidential and proprietory to Greiner Bio-One GmbH. This document may not be reproduced for any reason without written permission from Greiner Bio-One GmbH. All rights of design, invention, and copyright are reserved.	
Date	Name	Name	Name		
03.12.2019	S. Kaelberer	Dr. R. Heller	A. Illig		

DISCLAIMER: The description of a certain product can only be considered as a guidance, because its performance ultimately depends on what the product is used for. Very often performance studies are indispensable.