

# Product Specification Sheet

Description	200µl Tips	200µl Filter Tips
Maximum Volume	200µl	200µl
Graduation	10µl, 50µl, 100µl, 200µl	10µl, 50µl, 100µl, 200µl
Material	Virgin Polypropylene	Virgin Polypropylene
Autoclavable	Yes	No
Certified RNase, DNase, DNA and Pyrogen free	Yes	Yes
Hazards Data	<div> <div>Health</div> <div>0 Non-hazardous</div> </div> <div> <div>Flammability</div> <div>1 Flammable (Class A fire)</div> </div> <div> <div>Reactivity</div> <div>0 Non-reactive</div> </div> <div> <div>*Consult the polymer MSDS for further information on potential hazards associated with this material.</div> </div>	

<b>Production Standards &amp; Procedures</b>	<p>Product is Produced under controlled environment.</p> <p>All personnel are capped, masked, gloved and gowned in the assembly area.</p> <p>Lot size is variable due to continuous molding process.</p> <p>Tip Filters are specifically designed to help prevent liquid bypass ,cross contamination and airborne contamination from being drawn in to the Tips, thus protecting the pipette body from contamination.</p> <p>This Product is manufactured to the following specifications:</p> <p>Magnified visual examination for flash (+0.02in).</p>
--	---

Packaging					
					
Bulk	Racked	Reloads		Individually Wrapped Tip-Sterile	
Bulk-Sterile	Racked-Sterile	Reloads-Sterile	Reloads - Filter		

# Technical Drawing

i.e 200µl Sterile Low Retention Filter Rack Tips

S=Sterile, L=Low Retention, F=Filter, B=Bulk , R=Rack, K=Reload, W=Wrapped

## Tips for Perfect Pipetting



[www.accumaximum.com](http://www.accumaximum.com)