

Product Specification Sheet

Description	10XL Tips	10XL Filter Tips	
Maximum Volume	20μl	20μl	
Graduation	10µl, 20µl	10µl, 20µl	
Material	Virgin Polypropylene	Virgin Polypropylene	
Autoclavable	Yes	No	
Certified RNase, DNase,	Yes	Yes	
DNA and Pyrogen free			
Hazards Data	Health 0 Non-hazardous		

Flammability 1 Flammable (Class A fire)

Reactivity 0 Non-reactive

*Consult the polymer MSDS for further information on potential hazards associated with this material.

Production Standards & Procedures

Product is Produced under controlled environment.

All personnel are capped, masked, gloved and gowned in the assembly area.

Lot size is variable due to continuous molding process.

Tip Filters are specifically designed to help prevent liquid bypass, cross contamination and airborne contamination from being drawn in to the Tips, thus protecting the pipette body from contamination.

This Product is manufactured to the following specifications:

Magnified visual examination for flash (+0.02in).

Low Retention Tips & Regular Tips

Low Retention Tips

Minimum retention = Maximum accuracy

No Silicon additives = No leaching

Manufactured from specially developed resins combined with high quality diamond finish mould creates super hydrophobic internal surface and ensures maximum recovery of sample yield.



Packaging



Bulk

Bulk-Sterile



Racked




Reloads






Individually Wrapped Tip-

Technical Drawing





Order in:- 10XL-S-L-F-R								
	Volume		Sterile	Low Retention	Filter	Packing		
10μΙ	10XL	20μΙ	S	L	F	В		
200µl	200XL	50μl				R		
1000µl	1000XL	100µl				K		
10XN	20μΙ					W		

i.e 10µl Long, Sterile Low Retention Filter Rack Tips

S=Sterile, L=Low Retention, F=Filter, B=Bulk, R=Rack, K=Reload, W=Wrapped



www.accumaximum.com