

200µl 200XL 50µl

i.e 1000µl Long, Sterile Low Retention Filter Rack Tips

S=Sterile, L=Low Retention, F=Filter, B=Bulk , R=Rack, K=Reload, W=Wrapped

Product Specification Sheet

Perfect

Pipetting

www.accumaximum.com

R

Description	1000XL Tips	1000XL Filter Tips
Maximum Volume	1250µl	1250µl
Graduation	200µl, 500µl, 1000µl, 1200µl	200µl, 500µl, 1000µl, 1200µl
Material	Virgin Polypropylene	Virgin Polypropylene
Autoclavable	Yes	No
Certified RNase, DNase,	Yes	Yes
DNA and Pyrogen free		
Hazards Data	Health 0 Non-hazardous Flammability 1 Flammable (Class A fire) Reactivity 0 Non-reactive *Consult the polymer MSDS for further information on potentia	I hazards associated with this material.
Production Standards & Procedures	Product is Produced under controlled environment All personnel are capped, masked, gloved and good Lot size is variable due to continuous molding properties are specifically designed to help prever airborne contamination from being drawn in to the from contamination. This Product is manufactured to the following specified visual examination for flash (+0.02in).	wned in the assembly area. cess. It liquid bypass ,cross contamination and Tips, thus protecting the pipette body
Low Retention Tips &	Low Retention Tips	W W
Regular Tips	Minimum retention = Maximum accuracy No Silicon additives = No leaching	
	Manufactured from specially developed resins combined with high quality diamond finish mould creates super hydrophobic internal surface and ensures maximum recovery of sample yield.	
Packaging	Bulk Racked Reloads	Individually Wrapped Tip-
	Bulk-Sterile Racked-Sterile Reloads-Sterile	Reloads - Filter Sterile
Technical Drawing	Ф1.45 ————————————————————————————————————	200µl — 01.45 Liquid 500µl — 98°E 1000µl — 07.50 1200µl — 07.50
	Ø7.85	φ8.85 V2
Order in:- 1000XL-S-L-F-R		Packing Tips for