

id: **200181_EN**Date: **24/04/2024**

Revision: 1 Page: 1/2

TECHNICAL DATA SHEET

Food swab Listeria spp.

code 200181

code	presentation	tube dimensions (mm)	quantity/case	weight/case (gr)	volume/case (m³)
200181	1 tube + 1 swab with viscose peel, wrapped by PP bag	12 x 165	25 packs	330	0.0027



DESCRIPTION

Swab with culture medium and growth indicator for the detection of Listeria spp. directly from surfaces.

Culture medium incorporates a pH indicator to indicate biological activity, by changing the color of the medium that is easily visible. With 2.5 ± 2 ml agar.

Shelf life 12 months. Storage 10-25°C. Composition: differential medium.

TECHNIQUE

- 1. Remove the sterile swab from inside the bag.
- 2. Wet the tip of the swab by immersing it in sterile physiological solution.
- 3. Drain excess liquid by resting the tip of the swab against the wall of the tube.
- 4. Rub the swab on a surface ($10 \times 10 \text{ cm}^2$) horizontally and vertically.
- 5. Introduce the swab into the tube containing the culture medium.
- 6. Close the tube and write the date and place of sampling.
- 7. Incubate at 37°C for 18-24 hours.
- 8. Observe the change in color of the medium and interpret the result:
 - Yellow media: Absence of Listeria spp.
 - Black media: Presence of Listeria spp.

Each laboratory must evaluate the results according to their specifications.

QUALITY CONTROL

Physical/Chemical control

Color : Yellowish pH: 7.0 ± 0.2 at 25° C

Microbiological control

Inoculate: Practical range 10-50 CFU.

Aerobiosis. Incubation at 37±1°C, reading after 18-24 h

WRITTEN	VERIFIED	AUTHORISED
Pascal Montoya	Anna Mir	Mònica Torras
Brand & Communication Department	Technical, RA, Quality & Environment Director	Commercial Integration Director



id: **200181_EN**Date: 24/04/2024

Revision: 1
Page: 2/2

TECHNICAL DATA SHEET

Food swab Listeria spp.

code 200181

Microorganism Growth Medium color

Escherichia coli ATCC® 25922, WDCM 00013

Enterococcus faecalis ATCC® 19433, WDCM 00009

L. monocytogenes ATCC® 35152, WDCM 00109

Listeria innocua ATCC® 33090, WDCM 00017

Inhibited Yellow
Inhibited Yellow
Good Black
Good Black

Sterility control

Incubation 48 h at 30-35 °C and 48 h at 20-25 °C: NO GROWTH. Check at 7 days after incubation in same conditions.

WRITTEN	VERIFIED	AUTHORISED
Pascal Montoya	Anna Mir	Mònica Torras
Brand & Communication Department	Technical, RA, Quality & Environment Director	Commercial Integration Director