



Ether de pétrole 30 - 50°C

Synonyms:

Classification		Danger	
Molecular weight	ONU	1265	 
CAS	109-66-0 Transport hazard class:	3	 
EEC-N:	203-692-4 Packing	II	

Ether de pétrole 30 - 50°C

> RPE - Pour analyse

Grade Analytique

Description	Clear liquid	-
Colour	<=10	APHA
Identification (I.R.)	Positive	-
Alcohol miscibility	Complete	-
Diethyl ether miscibility	Complete	-
Heavy and fatty oils	Conform	-
Readily carbonizable substances	Conform	-



**Ether de pétrole 30 -
50°C****> RPE - Pour analyse****Grade Analytique**

Density at 15°C	≥ 0.625	-
Residue on evaporation	≤ 0.001	% (w/V)
Water (K.F.)	≤ 100	ppm
Boiling point min.	≥ 30	°C
Boiling point max.	≤ 50	°C
Acidity (acetic acid)	≤ 0.7	ppm
Alcalinity (NH ₃)	≤ 0.2	ppm
Benzene	≤ 100	ppm
Unsaturated hydrocarbon	≤ 0.4	%
Subs. reducing KMnO ₄	≤ 20	ppm (5m)
Total sulphur	≤ 50	ppm
Al	≤ 0.5	ppm
Ba	≤ 0.1	ppm
Ca	≤ 0.5	ppm
Cd	≤ 0.05	ppm
Co	≤ 0.02	ppm
Cr	≤ 0.02	ppm
Cu	≤ 0.02	ppm
Fe	≤ 0.1	ppm
Mg	≤ 0.1	ppm



**Ether de pétrole 30 -
50°C****> RPE - Pour analyse****Grade Analytique**

Mn	<=0.02	ppm
Ni	<=0.02	ppm
Pb	<=0.1	ppm
Sn	<=0.1	ppm
Zn	<=0.1	ppm
Description	Clear liquid	-
Colour	<=10	APHA
Identification (I.R.)	Positive	-
Alcohol miscibility	Complete	-
Diethyl ether miscibility	Complete	-
Heavy and fatty oils	Conform	-
Readily carbonizable substances	Conform	-
Density at 15°C	>=0.625	-
Residue on evaporation	<= 0.001	% (w/V)
Water (K.F.)	<=100	ppm
Boiling point min.	>=30	°C
Boiling point max.	<=50	°C
Acidity (acetic acid)	<=0.7	ppm
Alcalinity (NH ₃)	<=0.2	ppm
Benzene	<=100	ppm



**Ether de pétrole 30 -
50°C****> RPE - Pour analyse****Grade Analytique**

Unsaturated hydrocarbon	<=0.4	%
Subs. reducing KMnO ₄	<=20	ppm (5m)
Total sulphur	<=50	ppm
Al	<=0.5	ppm
Ba	<=0.1	ppm
Ca	<=0.5	ppm
Cd	<=0.05	ppm
Co	<=0.02	ppm
Cr	<=0.02	ppm
Cu	<=0.02	ppm
Fe	<=0.1	ppm
Mg	<=0.1	ppm
Mn	<=0.02	ppm
Ni	<=0.02	ppm
Pb	<=0.1	ppm
Sn	<=0.1	ppm
Zn	<=0.1	ppm
Description	Clear colourless liquid	-
Identification (I.R.)	Positive	-
Density at 15°C	>=0.633	-



Boiling point min.	>=30	?C
Boiling point max.	<=50	?C
Description	Clear colourless liquid	-
Identification (I.R.)	Positive	-
Density at 15°C	>=0.633	-
Boiling point min.	>=30	?C
Boiling point max.	<=50	?C

ID	Size	Packaging
000000000000447801	1 l	Flacon verre
000000000000447802	18 kg	Bidon aluminium
000000000000447804	5 l	Bidon aluminium
000000000000447842	18 kg	Bidon aluminium