



Ether de pétrole 40 - 60°C

Synonyms:

Classification		Danger	
Molecular weight	ONU	1268	 
CAS	64742-49-0	Transport hazard class:	3  
EEC-N:	Packing	II	

Ether de pétrole 40 - 60°C

> RPE - Pour analyse

Grade Analytique

Description	Clear liquid	-
Colour	<=10	APHA
Identification	Positive	-
Alcohol miscibility	Complete	-
Diethyl ether miscibility	Complete	-
Boiling point min.	>=40	?C
Boiling point max.	<=60	?C



**Ether de pétrole 40 -
60°C****> RPE - Pour analyse****Grade Analytique**

Heavy and fatty oils	Conform	-
Readily carbonizable substances	Conform	-
Density at 15°C	0.645 - 0.660	-
Residue on evaporation	<=10	ppm
Water (K.F.)	<=100	ppm
Acidity (acetic acid)	<=0.7	ppm
Alcalinity (NH ₃)	<=0.2	ppm
Benzene	<=100	ppm
Subs. reducing KMnO ₄	<=20	ppm (5m)
Total sulphur	<=50	ppm
Al	<=0.5	ppm
Ba	<=0.1	ppm
Ca	<=0.5	ppm
Cd	<=0.05	ppm
Co	<=0.02	ppm
Cr	<=0.02	ppm
Cu	<=0.02	ppm
Fe	<=0.1	ppm
Mg	<=0.1	ppm
Mn	<=0.02	ppm



**Ether de pétrole 40 -
60°C****> RPE - Pour analyse****Grade Analytique**

Ni	<=0.02	ppm
Pb	<=0.1	ppm
Sn	<=0.1	ppm
Zn	<=0.1	ppm
Bromine rating	<= 1	-
Description	Clear liquid	-
Colour	<=10	APHA
Identification	Positive	-
Alcohol miscibility	Complete	-
Diethyl ether miscibility	Complete	-
Boiling point min.	>=40	?C
Boiling point max.	<=60	?C
Heavy and fatty oils	Conform	-
Readily carbonizable substances	Conform	-
Density at 15°C	0.645 - 0.660	-
Residue on evaporation	<=10	ppm
Water (K.F.)	<=100	ppm
Acidity (acetic acid)	<=0.7	ppm
Alcalinity (NH3)	<=0.2	ppm
Benzene	<=100	ppm



Ether de pétrole 40 - 60°C > RPE - Pour analyse

Grade Analytique

Subs. reducing KMnO4	<=20	ppm (5m)
Total sulphur	<=50	ppm
Al	<=0.5	ppm
Ba	<=0.1	ppm
Ca	<=0.5	ppm
Cd	<=0.05	ppm
Co	<=0.02	ppm
Cr	<=0.02	ppm
Cu	<=0.02	ppm
Fe	<=0.1	ppm
Mg	<=0.1	ppm
Mn	<=0.02	ppm
Ni	<=0.02	ppm
Pb	<=0.1	ppm
Sn	<=0.1	ppm
Zn	<=0.1	ppm
Bromine rating	<= 1	-



Ether de pétrole 40 - 60°C > RPE - Pour analyse		Grade Analytique
ID	Size	Packaging
000000000000447831	2.5 l	Flacon verre
000000000000447832	5 l	Bidon aluminium
000000000000447833	1 l	Flacon verre
000000000000447834	19 kg	Bidon aluminium
000000000000447836	5 l	Bidon plastique